

Problem Set 5

This problem set is due on **Friday March 5, by 4:00pm.**

Use the CS172 drop box.

Write **your name and your student ID number** on your solution. Write legibly. The description of your proofs should be as *clear* as possible (which does not mean *long* – in fact, typically, good clear explanations are also short.) Be sure to be familiar with the collaboration policy, and read the overview in the class homepage www.cs.berkeley.edu/~luca/cs172.

1. Sipser problem 4.19.
2. Sipser problem 5.14.
3. (a) Prove that $\overline{E_{\text{TM}}}$ is Turing-recognizable.
(b) Prove that A_{TM} is not mapping reducible to E_{TM} .
4. For each of the following languages, give a proof that it is undecidable or describe an algorithm to decide it. (You may assume that all the languages are over the alphabet $\{0, 1\}$ and all the Turing machines have $\{0, 1\}$ as their input alphabet.)
 - (a) $L_1 = \{\langle M \rangle \mid M \text{ is a Turing machine that rejects all inputs of even length}\}.$
 - (b) $L_2 = \{\langle M \rangle \mid M \text{ is a Turing machine that halts on an empty input}\}.$
 - (c) $L_3 = \{\langle M \rangle \mid \text{there is some input } x \in \{0, 1\}^* \text{ such that } M \text{ accepts } x \text{ in less than 100 steps}\}.$