

Problem Set 6

This problem set is due on **Wednesday, October 21, by 5:00pm.**

Use the CS172 drop box.

Write **your name and your student ID number** on your solution. Write legibly. The description of your proofs should be as *clear* as possible (which does not mean *long* – in fact, typically, good clear explanations are also short.) Be sure to be familiar with the collaboration policy, and read the overview in the class homepage www.cs.berkeley.edu/~luca/cs172.

Revised October 16 to correct two errors.

1. [35] Consider the problem

$$H_{xor} := \{ \langle M \rangle, x, y \} : M \text{ halts on precisely one of the inputs } x, y \}$$

Show that H_{xor} is not recognizable and that its complement is also not recognizable.

2. [35] Here is a version of Rice's theorem that allows you to prove non-recognizability of languages. Say that a set \mathcal{C} of languages is *monotone* if it is such that for every recognizable language A such that $A \in \mathcal{C}$ and for every recognizable language B such that $A \subseteq B$, we also have $B \in \mathcal{C}$. If \mathcal{C} is a set of languages, define

$$L_{\mathcal{C}} := \{ \langle M \rangle : M \text{ recognizes a language in } \mathcal{C} \}$$

Prove that if \mathcal{C} is a set of languages such that

- \mathcal{C} is *not* monotone,
- $L_{\mathcal{C}} \neq \emptyset$ and
- $L_{\mathcal{C}} \neq \{ \langle M \rangle : M \text{ is a Turing machine} \}$

then $L_{\mathcal{C}}$ is not recognizable.

3. [30] Fix the input alphabet $\Sigma = \{0, 1\}$. Define the function $BB(n)$ to be maximum, over all Turing machines $M = (Q, \Sigma, \Gamma, \delta, q_0, q_A, q_R)$ that halt on an empty input and such that $|Q| \leq n$ and $|\Gamma| \leq n$, of the number of time steps that it takes for M to halt on an empty input. Note that, for every fixed n , $BB(n)$ is well defined and finite.

Define the language

$$B := \{ (n, m) : BB(n) \leq m \}$$

Prove that B is not recognizable.